

Identification and genetic diversity of *Acer ibericum* (Aceraceae) in South Caucasus

JURAJ PAULE^{1*}, NANI GOGINASHVILI², IRINA TVAURI², LADISLAV PAULE³,
EKATERINE GABASHVILI⁴, MAMUKA KOTETISHVILI⁴, NATO KOBAKHIDZE⁵

¹Department of Botany and Molecular Evolution, Senckenberg Research Institute
and Natural History Museum, Frankfurt/Main, Germany

²Agroforestry Research Division, Scientific-Research Center of Agriculture, Tbilisi, Georgia

³Department of Phytology, Faculty of Forestry, Technical University, Zvolen, Slovakia

⁴Bioinformatics Core, Scientific-Research Center of Agriculture, Tbilisi, Georgia

⁵Faculty of Agrarian and Natural Sciences, Agricultural University of Georgia, Tbilisi, Georgia

Electronic Supplementary Material (ESM)

The authors are fully responsible for both the content and the formal aspects of the electronic supplementary material. No editorial adjustments were made

<https://doi.org/10.17221/36/2021-JFS>

Table S1. GenBank accession numbers

Sample	Ribotype	GenBank accession	Sample	Ribotype	GenBank accession
Ai1-1	R1	MW759335	Ai5-1	R1	MW759380
Ai1-2	R1	MW759336	Ai5-2	R1	MW759371
Ai1-3	R1	MW759337	Ai5-3	R2	MW759328
Ai1-4	R1	MW759344	Ai5-4	R1	MW759378
Ai1-5	R2	MW759320	Ai5-5	R2	MW759330
Ai1-6	R1	MW759345	Ai5-6	R2	MW759325
Ai1-7	R1	MW759338	Ai5-8	R2	MW759317
Ai1-8	R1	MW759352	Ai5-9	R2	MW759323
Ai1-9	R1	MW759346	Ai5-10	R1	MW759359
Ai1-11	R2	MW759310	Ai5-11	R1	MW759375
Ai1-12	R1	MW759339	Ai5-12	R2	MW759312
Ai1-13	R2	MW759332	Ai5-13	R1	MW759373
Ai1-14	R2	MW759333	Ai5-14	R1	MW759356
Ai1-15	R1	MW759353	Ai5-15	R2	MW759313
Ai1-16	R1	MW759351	Ai5-16	R2	MW759314
Ai1-17	R1	MW759355	Ai5-17	R2	MW759316
Ai2-1	R2	MW759311	Ai5-18	R2	MW759319
Ai2-2	R1	MW759376	Ai5-19	R4	MW759379
Ai2-3	R1	MW759354	Ai5-20	R2	MW759318
Ai2-5	R1	MW759340	Ai6-1	R1	MW759366
Ai2-6	R1	MW759349	Ai6-2	R1	MW759368
Ai2-7	R1	MW759365	Ai6-3	R2	MW759334
Ai2-8	R1	MW759341	Ai6-4	R1	MW759367
Ai2-10	R1	MW759357	Ai6-5	R1	MW759369
Ai2-11	R1	MW759364	ib1-1	R1	AY605307
Ai2-12	R2	MW759329	ib1-2	R6	AY605308
Ai2-13	R1	MW759342	ib1-3	R2	AM238352
Ai2-14	R1	MW759358	ib1-4	R2	AM238353
Ai2-15	R2	MW759326	ib2-1	R1	AY605309
Ai2-16	R2	MW759327	ib2-2	R1	AY605310
Ai2-17	R1	MW759347	ib2-3	R2	AM238354
Ai2-18	R1	MW759372	ib3-1	R7	AY605311
Ai2-19	R1	MW759343	ib3-2	R3	AY605312
Ai2-20	R1	MW759350	ib4-1	R8	AY605313
Ai3-1	R1	MW759370	ib4-2	R5	AY605314
Ai3-2	R1	MW759348			
Ai3-3	R1	MW759360			
Ai3-4	R1	MW759377			
Ai3-5	R1	MW759361			
Ai4-1	R1	MW759374			
Ai4-2	R1	MW759362			
Ai4-3	R2	MW759331			
Ai4-4	R2	MW759315			
Ai4-6	R2	MW759321			
Ai4-7	R2	MW759322			
Ai4-8	R1	MW759363			
Ai4-9	R2	MW759324			

<https://doi.org/10.17221/36/2021-JFS>

Table S2. Results of the MegaBLAST searches

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_1_1_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	100.00%	100.00%	1 330.71	0
JP_1_1_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 325.17	0
JP_1_1_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.7%	99.7%	1 319.63	0
JP_1_1_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.8%	98.8%	1 284.54	0
JP_1_1_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.8%	98.8%	1 282.7	0
JP_1_1_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.8%	98.8%	1 282.7	0
JP_1_1_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.8%	98.8%	1 277.16	0
JP_1_1_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_1_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_1_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_2_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	100.00%	100.00%	1 330.71	0
JP_1_2_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 325.17	0
JP_1_2_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.7%	99.7%	1 319.63	0
JP_1_2_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.8%	98.8%	1 284.54	0
JP_1_2_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.8%	98.8%	1 282.7	0
JP_1_2_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.8%	98.8%	1 282.7	0
JP_1_2_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.8%	98.8%	1 277.16	0
JP_1_2_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_2_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_2_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_3_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	100.00%	100.00%	1 330.71	0
JP_1_3_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 325.17	0
JP_1_3_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.7%	99.7%	1 319.63	0
JP_1_3_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.8%	98.8%	1 284.54	0
JP_1_3_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.8%	98.8%	1 282.7	0
JP_1_3_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.8%	98.8%	1 282.7	0
JP_1_3_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.8%	98.8%	1 277.16	0
JP_1_3_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_3_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_3_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_4_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 327.01	0
JP_1_4_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.7%	99.8%	1 321.47	0
JP_1_4_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.6%	99.7%	1 315.93	0
JP_1_4_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.6%	98.7%	1 280.85	0
JP_1_4_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.6%	98.7%	1 279	0
JP_1_4_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.6%	98.7%	1 279	0
JP_1_4_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.6%	98.7%	1 273.46	0
JP_1_4_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_1_4_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_1_4_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_1_5_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	99.3%	99.7%	1 317.78	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_1_5_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	99.3%	99.7%	1 312.24	0
JP_1_5_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	99.2%	99.5%	1 312.24	0
JP_1_5_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	99.2%	99.5%	1 312.24	0
JP_1_5_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	99.2%	99.5%	1 312.24	0
JP_1_5_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	99.2%	99.4%	1 308.55	0
JP_1_5_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	99.2%	99.5%	1 297.47	0
JP_1_5_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	98.8%	99.1%	1 297.47	0
JP_1_5_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	98.5%	98.7%	1 277.16	0
JP_1_5_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	98.3%	98.6%	1 271.62	0
JP_1_6_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 327.01	0
JP_1_6_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.7%	99.8%	1 321.47	0
JP_1_6_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.6%	99.7%	1 315.93	0
JP_1_6_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.6%	98.7%	1 280.85	0
JP_1_6_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.6%	98.7%	1 279	0
JP_1_6_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.6%	98.7%	1 279	0
JP_1_6_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.6%	98.7%	1 273.46	0
JP_1_6_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_1_6_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_1_6_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_1_7_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	100.00%	100.00%	1 330.71	0
JP_1_7_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 325.17	0
JP_1_7_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.7%	99.7%	1 319.63	0
JP_1_7_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.8%	98.8%	1 284.54	0
JP_1_7_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.8%	98.8%	1 282.7	0
JP_1_7_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.8%	98.8%	1 282.7	0
JP_1_7_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.8%	98.8%	1 277.16	0
JP_1_7_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_7_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_7_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_8_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.7%	99.9%	1 323.32	0
JP_1_8_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.6%	99.7%	1 317.78	0
JP_1_8_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.4%	99.6%	1 312.24	0
JP_1_8_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.5%	98.6%	1 277.16	0
JP_1_8_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.5%	98.6%	1 275.31	0
JP_1_8_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.5%	98.6%	1 275.31	0
JP_1_8_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.5%	98.6%	1 269.77	0
JP_1_8_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_1_8_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_1_8_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_1_9_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 327.01	0
JP_1_9_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.7%	99.8%	1 321.47	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_1_9_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.6%	99.7%	1 315.93	0
JP_1_9_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.6%	98.7%	1 280.85	0
JP_1_9_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.6%	98.7%	1 279	0
JP_1_9_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.6%	98.7%	1 279	0
JP_1_9_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.6%	98.7%	1 273.46	0
JP_1_9_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_1_9_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_1_9_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_1_11_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	99.9%	99.9%	1 332.55	0
JP_1_11_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	99.9%	99.9%	1 327.01	0
JP_1_11_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	99.7%	99.8%	1 327.01	0
JP_1_11_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	99.7%	99.8%	1 327.01	0
JP_1_11_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	99.7%	99.8%	1 327.01	0
JP_1_11_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	99.7%	99.8%	1 312.24	0
JP_1_11_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	99.3%	99.4%	1 308.55	0
JP_1_11_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	99.00%	99.1%	1 301.16	0
JP_1_11_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	98.6%	98.7%	1 279	0
JP_1_11_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	98.5%	98.6%	1 273.46	0
JP_1_12_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	100.00%	100.00%	1 330.71	0
JP_1_12_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 325.17	0
JP_1_12_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.7%	99.7%	1 319.63	0
JP_1_12_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.8%	98.8%	1 284.54	0
JP_1_12_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.8%	98.8%	1 282.7	0
JP_1_12_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.8%	98.8%	1 282.7	0
JP_1_12_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.8%	98.8%	1 277.16	0
JP_1_12_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_12_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_12_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_1_13_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	97.5%	98.7%	1 267.92	0
JP_1_13_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	97.5%	98.7%	1 262.38	0
JP_1_13_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	97.4%	98.5%	1 262.38	0
JP_1_13_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	97.4%	98.5%	1 262.38	0
JP_1_13_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	97.4%	98.5%	1 262.38	0
JP_1_13_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	97.4%	98.5%	1 260.54	0
JP_1_13_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	97.1%	98.3%	1 253.15	0
JP_1_13_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	97.3%	98.5%	1 247.61	0
JP_1_13_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	96.8%	97.9%	1 232.84	0
JP_1_13_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	96.7%	97.7%	1 227.3	0
JP_1_14_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	96.3%	98.1%	1 234.68	0
JP_1_14_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	96.3%	98.1%	1 229.14	0
JP_1_14_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	96.1%	97.9%	1 229.14	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_1_14_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	96.1%	97.9%	1 229.14	0
JP_1_14_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	96.1%	97.9%	1 229.14	0
JP_1_14_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	96.1%	97.9%	1 227.3	0
JP_1_14_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	95.9%	97.7%	1 219.91	0
JP_1_14_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	96.1%	97.9%	1 214.37	0
JP_1_14_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	95.6%	97.2%	1 199.6	0
JP_1_14_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	95.4%	97.1%	1 194.06	0
JP_1_15_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.6%	99.8%	1 319.63	0
JP_1_15_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.4%	99.7%	1 314.09	0
JP_1_15_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.3%	99.5%	1 308.55	0
JP_1_15_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.5%	98.7%	1 277.16	0
JP_1_15_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.3%	98.6%	1 273.46	0
JP_1_15_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.3%	98.6%	1 271.62	0
JP_1_15_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.5%	98.7%	1 271.62	0
JP_1_15_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.3%	98.6%	1 271.62	0
JP_1_15_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.3%	98.6%	1 271.62	0
JP_1_15_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.3%	98.6%	1 271.62	0
JP_1_16_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.7%	99.9%	1 323.32	0
JP_1_16_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.6%	99.7%	1 317.78	0
JP_1_16_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.4%	99.6%	1 312.24	0
JP_1_16_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.5%	98.6%	1 277.16	0
JP_1_16_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.5%	98.6%	1 275.31	0
JP_1_16_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.5%	98.6%	1 275.31	0
JP_1_16_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.5%	98.6%	1 269.77	0
JP_1_16_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_1_16_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_1_16_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_1_17_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.3%	99.7%	1 312.24	0
JP_1_17_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.2%	99.5%	1 306.7	0
JP_1_17_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.00%	99.4%	1 301.16	0
JP_1_17_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.2%	98.6%	1 269.77	0
JP_1_17_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.1%	98.4%	1 266.08	0
JP_1_17_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.1%	98.4%	1 264.23	0
JP_1_17_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.2%	98.5%	1 264.23	0
JP_1_17_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.1%	98.4%	1 264.23	0
JP_1_17_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.1%	98.4%	1 264.23	0
JP_1_17_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.1%	98.4%	1 264.23	0
JP_2_1_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	100.00%	100.00%	1 336.25	0
JP_2_1_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	100.00%	100.00%	1 330.71	0
JP_2_1_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	99.9%	99.9%	1 330.71	0
JP_2_1_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	99.9%	99.9%	1 330.71	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_2_1_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	99.9%	99.9%	1 330.71	0
JP_2_1_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	99.9%	99.9%	1 315.93	0
JP_2_1_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	99.4%	99.4%	1 312.24	0
JP_2_1_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	99.2%	99.2%	1 304.85	0
JP_2_1_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	98.8%	98.8%	1 282.7	0
JP_2_1_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	98.6%	98.6%	1 277.16	0
JP_2_2_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	96.00%	97.9%	1 221.76	0
JP_2_2_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	96.00%	97.8%	1 219.91	0
JP_2_2_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	95.7%	97.6%	1 210.68	0
JP_2_2_ITS	AY605305	<i>Acer hyrcanum</i>	89.55%	710	93.9%	95.6%	1 123.88	0
JP_2_2_ITS	DQ366129	<i>Acer hyrcanum</i>	89.05%	704	94.1%	95.7%	1 120.19	0
JP_2_2_ITS	AM238402	<i>Acer monspessulanum</i>	89.55%	708	93.9%	95.5%	1 118.34	0
JP_2_2_ITS	AM238391	<i>Acer monspessulanum</i>	89.55%	708	93.9%	95.5%	1 118.34	0
JP_2_2_ITS	AM238426	<i>Acer cf.</i>	89.55%	708	93.9%	95.4%	1 116.5	0
JP_2_2_ITS	AM238425	<i>Acer cf.</i>	89.55%	708	93.9%	95.4%	1 116.5	0
JP_2_2_ITS	AM238423	<i>Acer cf.</i>	89.55%	708	93.9%	95.4%	1 116.5	0
JP_2_3_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 327.01	0
JP_2_3_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.7%	99.8%	1 321.47	0
JP_2_3_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.6%	99.7%	1 315.93	0
JP_2_3_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.8%	98.8%	1 284.54	0
JP_2_3_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.6%	98.7%	1 280.85	0
JP_2_3_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.6%	98.7%	1 279	0
JP_2_3_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.8%	98.8%	1 279	0
JP_2_3_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.6%	98.7%	1 279	0
JP_2_3_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.6%	98.7%	1 279	0
JP_2_3_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.6%	98.7%	1 279	0
JP_2_5_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	100.00%	100.00%	1 330.71	0
JP_2_5_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 325.17	0
JP_2_5_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.7%	99.7%	1 319.63	0
JP_2_5_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.8%	98.8%	1 284.54	0
JP_2_5_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.8%	98.8%	1 282.7	0
JP_2_5_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.8%	98.8%	1 282.7	0
JP_2_5_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.8%	98.8%	1 277.16	0
JP_2_5_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_2_5_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_2_5_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_2_6_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.7%	99.9%	1 323.32	0
JP_2_6_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.6%	99.7%	1 317.78	0
JP_2_6_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.4%	99.6%	1 312.24	0
JP_2_6_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.5%	98.6%	1 277.16	0
JP_2_6_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.5%	98.6%	1 275.31	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_2_6_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.5%	98.6%	1 275.31	0
JP_2_6_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.5%	98.6%	1 269.77	0
JP_2_6_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_2_6_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_2_6_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_2_7_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	98.8%	99.4%	1 297.47	0
JP_2_7_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	98.6%	99.2%	1 291.93	0
JP_2_7_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	98.5%	99.1%	1 286.39	0
JP_2_7_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	97.7%	98.3%	1 255	0
JP_2_7_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	97.7%	98.2%	1 253.15	0
JP_2_7_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	97.5%	98.1%	1 251.3	0
JP_2_7_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	97.6%	98.3%	1 249.46	0
JP_2_7_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	97.5%	98.1%	1 249.46	0
JP_2_7_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	97.5%	98.1%	1 249.46	0
JP_2_7_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	97.5%	98.1%	1 249.46	0
JP_2_8_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	100.00%	100.00%	1 330.71	0
JP_2_8_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 325.17	0
JP_2_8_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.7%	99.7%	1 319.63	0
JP_2_8_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.8%	98.8%	1 284.54	0
JP_2_8_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.8%	98.8%	1 282.7	0
JP_2_8_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.8%	98.8%	1 282.7	0
JP_2_8_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.8%	98.8%	1 277.16	0
JP_2_8_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_2_8_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_2_8_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_2_10_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.7%	99.9%	1 323.32	0
JP_2_10_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.6%	99.7%	1 317.78	0
JP_2_10_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.4%	99.6%	1 312.24	0
JP_2_10_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.5%	98.6%	1 277.16	0
JP_2_10_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.5%	98.6%	1 275.31	0
JP_2_10_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.5%	98.6%	1 275.31	0
JP_2_10_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.5%	98.6%	1 269.77	0
JP_2_10_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_2_10_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_2_10_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_2_11_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	98.8%	99.4%	1 297.47	0
JP_2_11_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	98.8%	99.3%	1 295.62	0
JP_2_11_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	98.5%	99.1%	1 286.39	0
JP_2_11_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	97.8%	98.2%	1 255	0
JP_2_11_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	97.7%	98.2%	1 255	0
JP_2_11_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	97.7%	98.1%	1 249.46	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_2_11_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	97.8%	98.2%	1 249.46	0
JP_2_11_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	97.7%	98.1%	1 249.46	0
JP_2_11_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	97.7%	98.1%	1 249.46	0
JP_2_11_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	97.7%	98.1%	1 249.46	0
JP_2_12_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	97.2%	98.4%	1 256.84	0
JP_2_12_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	97.2%	98.4%	1 255	0
JP_2_12_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	97.2%	98.4%	1 251.3	0
JP_2_12_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	97.1%	98.3%	1 251.3	0
JP_2_12_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	97.1%	98.3%	1 251.3	0
JP_2_12_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	97.1%	98.3%	1 251.3	0
JP_2_12_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	97.00%	98.1%	1 247.61	0
JP_2_12_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	97.1%	98.00%	1 240.22	0
JP_2_12_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	97.1%	98.3%	1 236.53	0
JP_2_12_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	97.00%	97.9%	1 234.68	0
JP_2_13_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	100.00%	100.00%	1 330.71	0
JP_2_13_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 325.17	0
JP_2_13_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.7%	99.7%	1 319.63	0
JP_2_13_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.8%	98.8%	1 284.54	0
JP_2_13_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.8%	98.8%	1 282.7	0
JP_2_13_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.8%	98.8%	1 282.7	0
JP_2_13_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.8%	98.8%	1 277.16	0
JP_2_13_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_2_13_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_2_13_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_2_14_ITSx	AY605309	<i>Acer ibericum</i>	89.55%	720	99.00%	99.5%	1 304.85	0
JP_2_14_ITSx	AY605307	<i>Acer ibericum</i>	89.55%	720	98.9%	99.4%	1 299.31	0
JP_2_14_ITSx	AY605312	<i>Acer ibericum</i>	89.55%	720	98.8%	99.2%	1 293.78	0
JP_2_14_ITSx	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.1%	98.4%	1 264.23	0
JP_2_14_ITSx	AM238351	<i>Acer sempervirens</i>	89.55%	722	97.9%	98.3%	1 258.69	0
JP_2_14_ITSx	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.1%	98.4%	1 258.69	0
JP_2_14_ITSx	AY605313	<i>Acer ibericum</i>	89.55%	723	97.9%	98.3%	1 258.69	0
JP_2_14_ITSx	AY605311	<i>Acer ibericum</i>	89.55%	723	97.9%	98.3%	1 258.69	0
JP_2_14_ITSx	AY605308	<i>Acer ibericum</i>	89.55%	723	97.9%	98.3%	1 258.69	0
JP_2_14_ITSx	AY605314	<i>Acer ibericum</i>	89.55%	725	97.8%	98.2%	1 256.84	0
JP_2_15_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	97.4%	98.6%	1 264.23	0
JP_2_15_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	97.4%	98.5%	1 260.54	0
JP_2_15_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	97.4%	98.6%	1 258.69	0
JP_2_15_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	97.2%	98.5%	1 258.69	0
JP_2_15_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	97.2%	98.5%	1 258.69	0
JP_2_15_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	97.2%	98.5%	1 258.69	0
JP_2_15_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	97.00%	98.2%	1 249.46	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_2_15_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	97.2%	98.5%	1 243.92	0
JP_2_15_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	97.00%	97.9%	1 236.53	0
JP_2_15_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	96.8%	97.8%	1 230.99	0
JP_2_16_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	97.5%	98.7%	1 267.92	0
JP_2_16_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	97.5%	98.6%	1 264.23	0
JP_2_16_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	97.5%	98.7%	1 262.38	0
JP_2_16_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	97.4%	98.5%	1 262.38	0
JP_2_16_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	97.4%	98.5%	1 262.38	0
JP_2_16_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	97.4%	98.5%	1 262.38	0
JP_2_16_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	97.1%	98.3%	1 253.15	0
JP_2_16_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	97.3%	98.5%	1 247.61	0
JP_2_16_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	97.2%	98.1%	1 245.76	0
JP_2_16_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	97.1%	98.00%	1 240.22	0
JP_2_17_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 327.01	0
JP_2_17_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.7%	99.8%	1 321.47	0
JP_2_17_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.6%	99.7%	1 315.93	0
JP_2_17_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.6%	98.7%	1 280.85	0
JP_2_17_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.6%	98.7%	1 279	0
JP_2_17_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.6%	98.7%	1 279	0
JP_2_17_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.6%	98.7%	1 273.46	0
JP_2_17_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_2_17_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_2_17_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_2_18_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	98.1%	99.00%	1 279	0
JP_2_18_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	98.1%	99.00%	1 277.16	0
JP_2_18_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	97.8%	98.8%	1 267.92	0
JP_2_18_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	97.1%	97.9%	1 236.53	0
JP_2_18_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	97.1%	97.8%	1 234.68	0
JP_2_18_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	97.00%	97.8%	1 234.68	0
JP_2_18_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	97.1%	97.9%	1 230.99	0
JP_2_18_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	97.00%	97.7%	1 230.99	0
JP_2_18_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	97.00%	97.7%	1 230.99	0
JP_2_18_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	97.00%	97.7%	1 230.99	0
JP_2_19_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	100.00%	100.00%	1 330.71	0
JP_2_19_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 325.17	0
JP_2_19_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.7%	99.7%	1 319.63	0
JP_2_19_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.8%	98.8%	1 284.54	0
JP_2_19_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.8%	98.8%	1 282.7	0
JP_2_19_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.8%	98.8%	1 282.7	0
JP_2_19_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.8%	98.8%	1 277.16	0
JP_2_19_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_2_19_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_2_19_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.6%	98.6%	1 277.16	0
JP_2_20_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.7%	99.9%	1 323.32	0
JP_2_20_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.6%	99.7%	1 317.78	0
JP_2_20_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.4%	99.6%	1 312.24	0
JP_2_20_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.5%	98.6%	1 277.16	0
JP_2_20_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.5%	98.6%	1 275.31	0
JP_2_20_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.5%	98.6%	1 275.31	0
JP_2_20_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.5%	98.6%	1 269.77	0
JP_2_20_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_2_20_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_2_20_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.3%	98.5%	1 269.77	0
JP_3_1_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	98.3%	99.2%	1 286.39	0
JP_3_1_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	98.3%	99.1%	1 284.54	0
JP_3_1_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	98.1%	98.9%	1 275.31	0
JP_3_1_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	97.2%	97.9%	1 238.38	0
JP_3_1_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	97.2%	97.9%	1 238.38	0
JP_3_1_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	97.1%	97.7%	1 234.68	0
JP_3_1_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	97.2%	97.9%	1 232.84	0
JP_3_1_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	97.1%	97.7%	1 232.84	0
JP_3_1_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	97.1%	97.7%	1 232.84	0
JP_3_1_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	97.1%	97.7%	1 232.84	0
JP_3_2_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.9%	99.9%	1 327.01	0
JP_3_2_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.7%	99.8%	1 321.47	0
JP_3_2_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.6%	99.7%	1 315.93	0
JP_3_2_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.6%	98.7%	1 280.85	0
JP_3_2_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.6%	98.7%	1 279	0
JP_3_2_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.6%	98.7%	1 279	0
JP_3_2_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.6%	98.7%	1 273.46	0
JP_3_2_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_3_2_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_3_2_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.5%	98.6%	1 273.46	0
JP_3_3_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.2%	99.6%	1 308.55	0
JP_3_3_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.2%	99.5%	1 306.7	0
JP_3_3_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	98.9%	99.3%	1 297.47	0
JP_3_3_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.1%	98.3%	1 262.38	0
JP_3_3_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.1%	98.3%	1 262.38	0
JP_3_3_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	97.9%	98.3%	1 260.54	0
JP_3_3_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.1%	98.3%	1 256.84	0
JP_3_3_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	97.9%	98.2%	1 256.84	0
JP_3_3_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	97.9%	98.2%	1 256.84	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_3_3_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	97.9%	98.2%	1 256.84	0
JP_3_4_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.00%	99.4%	1 303.01	0
JP_3_4_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.00%	99.4%	1 301.16	0
JP_3_4_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	98.8%	99.2%	1 291.93	0
JP_3_4_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	97.9%	98.3%	1 258.69	0
JP_3_4_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	97.9%	98.3%	1 258.69	0
JP_3_4_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	97.8%	98.2%	1 256.84	0
JP_3_4_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	97.9%	98.3%	1 253.15	0
JP_3_4_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	97.8%	98.1%	1 253.15	0
JP_3_4_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	97.8%	98.1%	1 253.15	0
JP_3_4_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	97.8%	98.1%	1 253.15	0
JP_3_5_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.3%	99.7%	1 312.24	0
JP_3_5_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.3%	99.6%	1 310.39	0
JP_3_5_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.00%	99.4%	1 301.16	0
JP_3_5_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.2%	98.5%	1 267.92	0
JP_3_5_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.2%	98.5%	1 267.92	0
JP_3_5_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.1%	98.4%	1 266.08	0
JP_3_5_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.2%	98.5%	1 262.38	0
JP_3_5_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.1%	98.3%	1 262.38	0
JP_3_5_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.1%	98.3%	1 262.38	0
JP_3_5_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.1%	98.3%	1 262.38	0
JP_4_1_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	97.2%	98.6%	1 256.84	0
JP_4_1_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	97.2%	98.5%	1 255	0
JP_4_1_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	96.9%	98.3%	1 245.76	0
JP_4_1_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	96.4%	97.5%	1 218.06	0
JP_4_1_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	96.3%	97.4%	1 212.52	0
JP_4_1_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	96.4%	97.5%	1 212.52	0
JP_4_1_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	96.3%	97.4%	1 212.52	0
JP_4_1_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	96.3%	97.4%	1 212.52	0
JP_4_1_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	96.3%	97.4%	1 212.52	0
JP_4_1_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	96.1%	97.3%	1 210.68	0
JP_4_2_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	98.6%	99.3%	1 293.78	0
JP_4_2_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	98.6%	99.2%	1 291.93	0
JP_4_2_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	98.3%	99.00%	1 282.7	0
JP_4_2_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	97.7%	98.1%	1 251.3	0
JP_4_2_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	97.5%	98.00%	1 245.76	0
JP_4_2_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	97.6%	98.1%	1 245.76	0
JP_4_2_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	97.5%	98.00%	1 245.76	0
JP_4_2_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	97.5%	98.00%	1 245.76	0
JP_4_2_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	97.5%	98.00%	1 245.76	0
JP_4_2_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	97.4%	97.9%	1 242.07	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_4_3_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	96.8%	98.3%	1 249.46	0
JP_4_3_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	96.8%	98.3%	1 243.92	0
JP_4_3_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	96.7%	98.2%	1 243.92	0
JP_4_3_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	96.7%	98.2%	1 243.92	0
JP_4_3_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	96.7%	98.2%	1 243.92	0
JP_4_3_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	96.7%	98.1%	1 240.22	0
JP_4_3_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	96.6%	98.2%	1 229.14	0
JP_4_3_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	96.3%	97.8%	1 229.14	0
JP_4_3_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	96.1%	97.4%	1 212.52	0
JP_4_3_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	96.00%	97.3%	1 206.98	0
JP_4_4_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	99.00%	99.5%	1 310.39	0
JP_4_4_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	99.00%	99.5%	1 304.85	0
JP_4_4_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	98.9%	99.4%	1 304.85	0
JP_4_4_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	98.9%	99.4%	1 304.85	0
JP_4_4_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	98.9%	99.4%	1 304.85	0
JP_4_4_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	98.6%	99.1%	1 291.93	0
JP_4_4_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	98.9%	99.4%	1 290.08	0
JP_4_4_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	98.3%	98.8%	1 284.54	0
JP_4_4_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	98.1%	98.4%	1 264.23	0
JP_4_4_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	97.9%	98.3%	1 258.69	0
JP_4_6_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	98.3%	99.1%	1 290.08	0
JP_4_6_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	98.3%	99.1%	1 284.54	0
JP_4_6_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	98.2%	99.00%	1 284.54	0
JP_4_6_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	98.2%	99.00%	1 284.54	0
JP_4_6_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	98.2%	99.00%	1 284.54	0
JP_4_6_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	98.2%	99.00%	1 282.7	0
JP_4_6_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	97.9%	98.7%	1 275.31	0
JP_4_6_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	98.2%	99.00%	1 269.77	0
JP_4_6_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	97.8%	98.3%	1 258.69	0
JP_4_6_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	97.7%	98.2%	1 253.15	0
JP_4_7_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	98.1%	99.00%	1 282.7	0
JP_4_7_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	98.1%	98.9%	1 279	0
JP_4_7_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	98.1%	99.00%	1 277.16	0
JP_4_7_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	97.9%	98.8%	1 277.16	0
JP_4_7_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	97.9%	98.8%	1 277.16	0
JP_4_7_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	97.9%	98.8%	1 277.16	0
JP_4_7_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	97.7%	98.6%	1 267.92	0
JP_4_7_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	97.9%	98.8%	1 262.38	0
JP_4_7_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	97.5%	98.2%	1 251.3	0
JP_4_7_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	97.4%	98.1%	1 245.76	0
JP_4_8_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	98.2%	99.1%	1 282.7	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_4_8_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	98.2%	99.00%	1 280.85	0
JP_4_8_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	97.9%	98.8%	1 271.62	0
JP_4_8_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	97.2%	97.9%	1 240.22	0
JP_4_8_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	97.1%	97.8%	1 234.68	0
JP_4_8_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	97.2%	97.9%	1 234.68	0
JP_4_8_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	97.1%	97.8%	1 234.68	0
JP_4_8_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	97.1%	97.8%	1 234.68	0
JP_4_8_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	97.1%	97.8%	1 234.68	0
JP_4_8_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	97.00%	97.7%	1 230.99	0
JP_4_9_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	98.2%	99.00%	1 286.39	0
JP_4_9_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	98.2%	99.00%	1 280.85	0
JP_4_9_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	98.1%	98.9%	1 280.85	0
JP_4_9_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	98.1%	98.9%	1 280.85	0
JP_4_9_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	98.1%	98.9%	1 280.85	0
JP_4_9_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	98.1%	98.8%	1 277.16	0
JP_4_9_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	98.00%	98.9%	1 266.08	0
JP_4_9_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	97.7%	98.5%	1 266.08	0
JP_4_9_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	97.5%	98.1%	1 249.46	0
JP_4_9_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	97.4%	98.00%	1 243.92	0
JP_5_1_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	93.8%	96.9%	1 164.51	0
JP_5_1_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	93.8%	96.8%	1 162.66	0
JP_5_1_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	93.5%	96.6%	1 153.43	0
JP_5_1_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	93.1%	95.8%	1 127.58	0
JP_5_1_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	93.00%	95.8%	1 125.73	0
JP_5_1_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	92.9%	95.8%	1 120.19	0
JP_5_1_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	92.8%	95.7%	1 120.19	0
JP_5_1_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	92.8%	95.7%	1 120.19	0
JP_5_1_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	92.8%	95.7%	1 120.19	0
JP_5_1_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	92.7%	95.6%	1 118.34	0
JP_5_2_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	98.1%	99.00%	1 279	0
JP_5_2_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	98.1%	99.00%	1 277.16	0
JP_5_2_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	97.8%	98.8%	1 267.92	0
JP_5_2_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	97.1%	97.9%	1 236.53	0
JP_5_2_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	97.00%	97.7%	1 230.99	0
JP_5_2_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	97.1%	97.9%	1 230.99	0
JP_5_2_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	97.00%	97.7%	1 230.99	0
JP_5_2_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	97.00%	97.7%	1 230.99	0
JP_5_2_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	97.00%	97.7%	1 230.99	0
JP_5_2_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	96.8%	97.6%	1 227.3	0
JP_5_3_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	97.5%	98.6%	1 266.08	0
JP_5_3_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	97.5%	98.6%	1 260.54	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_5_3_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	97.4%	98.5%	1 260.54	0
JP_5_3_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	97.4%	98.5%	1 260.54	0
JP_5_3_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	97.4%	98.5%	1 260.54	0
JP_5_3_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	97.4%	98.4%	1 256.84	0
JP_5_3_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	97.3%	98.5%	1 245.76	0
JP_5_3_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	97.00%	98.1%	1 245.76	0
JP_5_3_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	96.8%	97.7%	1 229.14	0
JP_5_3_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	96.7%	97.6%	1 223.6	0
JP_5_4_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	97.2%	98.6%	1 256.84	0
JP_5_4_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	97.2%	98.5%	1 255	0
JP_5_4_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	96.9%	98.3%	1 245.76	0
JP_5_4_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	96.4%	97.5%	1 218.06	0
JP_5_4_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	96.4%	97.4%	1 216.22	0
JP_5_4_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	96.4%	97.5%	1 212.52	0
JP_5_4_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	96.3%	97.4%	1 212.52	0
JP_5_4_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	96.3%	97.4%	1 212.52	0
JP_5_4_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	96.3%	97.4%	1 212.52	0
JP_5_4_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	96.1%	97.3%	1 210.68	0
JP_5_5_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	97.5%	98.7%	1 267.92	0
JP_5_5_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	97.5%	98.7%	1 262.38	0
JP_5_5_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	97.4%	98.5%	1 262.38	0
JP_5_5_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	97.4%	98.5%	1 262.38	0
JP_5_5_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	97.4%	98.5%	1 262.38	0
JP_5_5_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	97.4%	98.5%	1 258.69	0
JP_5_5_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	97.3%	98.5%	1 247.61	0
JP_5_5_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	97.00%	98.1%	1 247.61	0
JP_5_5_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	97.2%	98.1%	1 243.92	0
JP_5_5_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	97.1%	97.9%	1 238.38	0
JP_5_6_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	98.2%	99.1%	1 288.24	0
JP_5_6_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	98.2%	99.1%	1 282.7	0
JP_5_6_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	98.1%	99.00%	1 282.7	0
JP_5_6_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	98.1%	99.00%	1 282.7	0
JP_5_6_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	98.1%	99.00%	1 282.7	0
JP_5_6_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	98.1%	98.9%	1 279	0
JP_5_6_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	98.00%	99.00%	1 267.92	0
JP_5_6_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	97.7%	98.6%	1 267.92	0
JP_5_6_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	97.5%	98.2%	1 251.3	0
JP_5_6_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	97.4%	98.1%	1 245.76	0
JP_5_8_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	99.4%	99.7%	1 321.47	0
JP_5_8_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	99.4%	99.7%	1 315.93	0
JP_5_8_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	99.3%	99.6%	1 315.93	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_5_8_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	99.3%	99.6%	1 315.93	0
JP_5_8_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	99.3%	99.6%	1 315.93	0
JP_5_8_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	99.3%	99.6%	1 301.16	0
JP_5_8_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	98.9%	99.2%	1 297.47	0
JP_5_8_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	98.6%	98.9%	1 290.08	0
JP_5_8_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	98.3%	98.5%	1 269.77	0
JP_5_8_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	98.2%	98.3%	1 264.23	0
JP_5_9_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	98.2%	99.00%	1 284.54	0
JP_5_9_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	98.2%	99.00%	1 282.7	0
JP_5_9_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	98.2%	99.00%	1 279	0
JP_5_9_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	98.1%	98.8%	1 279	0
JP_5_9_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	98.1%	98.8%	1 279	0
JP_5_9_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	98.1%	98.8%	1 279	0
JP_5_9_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	97.9%	98.7%	1 275.31	0
JP_5_9_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	98.00%	98.8%	1 264.23	0
JP_5_9_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	97.9%	98.4%	1 262.38	0
JP_5_9_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	97.8%	98.3%	1 256.84	0
JP_5_10_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.2%	99.6%	1 308.55	0
JP_5_10_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.2%	99.5%	1 306.7	0
JP_5_10_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	98.9%	99.3%	1 297.47	0
JP_5_10_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.2%	98.6%	1 269.77	0
JP_5_10_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.1%	98.4%	1 264.23	0
JP_5_10_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.2%	98.5%	1 264.23	0
JP_5_10_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.1%	98.4%	1 264.23	0
JP_5_10_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.1%	98.4%	1 264.23	0
JP_5_10_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.1%	98.4%	1 264.23	0
JP_5_10_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	97.9%	98.3%	1 262.38	0
JP_5_11_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	97.2%	98.6%	1 256.84	0
JP_5_11_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	97.2%	98.5%	1 255	0
JP_5_11_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	96.9%	98.3%	1 245.76	0
JP_5_11_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	96.3%	97.5%	1 216.22	0
JP_5_11_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	96.1%	97.4%	1 210.68	0
JP_5_11_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	96.3%	97.5%	1 210.68	0
JP_5_11_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	96.1%	97.4%	1 210.68	0
JP_5_11_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	96.1%	97.4%	1 210.68	0
JP_5_11_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	96.1%	97.4%	1 210.68	0
JP_5_11_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	96.00%	97.3%	1 208.83	0
JP_5_12_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	100.00%	100.00%	1 336.25	0
JP_5_12_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	100.00%	100.00%	1 330.71	0
JP_5_12_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	99.9%	99.9%	1 330.71	0
JP_5_12_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	99.9%	99.9%	1 330.71	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_5_12_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	99.9%	99.9%	1 330.71	0
JP_5_12_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	99.9%	99.9%	1 315.93	0
JP_5_12_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	99.4%	99.4%	1 312.24	0
JP_5_12_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	99.2%	99.2%	1 304.85	0
JP_5_12_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	98.8%	98.8%	1 282.7	0
JP_5_12_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	98.6%	98.6%	1 277.16	0
JP_5_13_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	97.1%	98.5%	1 253.15	0
JP_5_13_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	97.1%	98.5%	1 251.3	0
JP_5_13_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	96.8%	98.3%	1 242.07	0
JP_5_13_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	96.3%	97.4%	1 214.37	0
JP_5_13_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	96.1%	97.3%	1 208.83	0
JP_5_13_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	96.3%	97.4%	1 208.83	0
JP_5_13_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	96.1%	97.3%	1 208.83	0
JP_5_13_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	96.1%	97.3%	1 208.83	0
JP_5_13_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	96.1%	97.3%	1 208.83	0
JP_5_13_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	96.00%	97.2%	1 206.98	0
JP_5_14_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.3%	99.7%	1 312.24	0
JP_5_14_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.2%	99.5%	1 306.7	0
JP_5_14_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	99.00%	99.4%	1 301.16	0
JP_5_14_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.2%	98.6%	1 269.77	0
JP_5_14_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	98.2%	98.5%	1 267.92	0
JP_5_14_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	98.1%	98.4%	1 266.08	0
JP_5_14_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.2%	98.5%	1 264.23	0
JP_5_14_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	98.1%	98.4%	1 264.23	0
JP_5_14_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	98.1%	98.4%	1 264.23	0
JP_5_14_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	98.1%	98.4%	1 264.23	0
JP_5_15_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	100.00%	100.00%	1 336.25	0
JP_5_15_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	100.00%	100.00%	1 330.71	0
JP_5_15_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	99.9%	99.9%	1 330.71	0
JP_5_15_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	99.9%	99.9%	1 330.71	0
JP_5_15_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	99.9%	99.9%	1 330.71	0
JP_5_15_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	99.9%	99.9%	1 315.93	0
JP_5_15_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	99.4%	99.4%	1 312.24	0
JP_5_15_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	99.2%	99.2%	1 304.85	0
JP_5_15_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	98.8%	98.8%	1 282.7	0
JP_5_15_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	98.6%	98.6%	1 277.16	0
JP_5_16_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	100.00%	100.00%	1 336.25	0
JP_5_16_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	100.00%	100.00%	1 330.71	0
JP_5_16_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	99.9%	99.9%	1 330.71	0
JP_5_16_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	99.9%	99.9%	1 330.71	0
JP_5_16_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	99.9%	99.9%	1 330.71	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_5_16_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	99.9%	99.9%	1 315.93	0
JP_5_16_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	99.4%	99.4%	1 312.24	0
JP_5_16_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	99.2%	99.2%	1 304.85	0
JP_5_16_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	98.8%	98.8%	1 282.7	0
JP_5_16_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	98.6%	98.6%	1 277.16	0
JP_5_17_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	98.9%	99.4%	1 304.85	0
JP_5_17_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	98.9%	99.4%	1 299.31	0
JP_5_17_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	98.8%	99.2%	1 299.31	0
JP_5_17_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	98.8%	99.2%	1 299.31	0
JP_5_17_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	98.8%	99.2%	1 299.31	0
JP_5_17_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	98.6%	99.1%	1 291.93	0
JP_5_17_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	98.7%	99.2%	1 284.54	0
JP_5_17_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	98.3%	98.8%	1 284.54	0
JP_5_17_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	98.2%	98.5%	1 267.92	0
JP_5_17_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	98.1%	98.3%	1 262.38	0
JP_5_18_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	99.3%	99.7%	1 317.78	0
JP_5_18_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	99.3%	99.7%	1 312.24	0
JP_5_18_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	99.2%	99.5%	1 312.24	0
JP_5_18_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	99.2%	99.5%	1 312.24	0
JP_5_18_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	99.2%	99.5%	1 312.24	0
JP_5_18_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	99.2%	99.5%	1 297.47	0
JP_5_18_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	98.8%	99.1%	1 293.78	0
JP_5_18_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	98.5%	98.8%	1 286.39	0
JP_5_18_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	98.2%	98.4%	1 266.08	0
JP_5_18_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	98.1%	98.3%	1 260.54	0
JP_5_19_ITS	AY605309	<i>Acer ibericum</i>	89.57%	720	98.5%	99.2%	1 288.24	0
JP_5_19_ITS	AY605307	<i>Acer ibericum</i>	89.57%	720	98.5%	99.1%	1 286.39	0
JP_5_19_ITS	AY605312	<i>Acer ibericum</i>	89.57%	720	98.2%	98.9%	1 277.16	0
JP_5_19_ITS	AM238350	<i>Acer sempervirens</i>	89.57%	723	97.4%	98.00%	1 245.76	0
JP_5_19_ITS	AM238351	<i>Acer sempervirens</i>	89.57%	722	97.4%	98.00%	1 243.92	0
JP_5_19_ITS	AY605314	<i>Acer ibericum</i>	89.57%	725	97.2%	97.9%	1 243.92	0
JP_5_19_ITS	AM238346	<i>Acer sempervirens</i>	89.19%	720	97.4%	98.00%	1 240.22	0
JP_5_19_ITS	AY605313	<i>Acer ibericum</i>	89.57%	723	97.2%	97.9%	1 240.22	0
JP_5_19_ITS	AY605311	<i>Acer ibericum</i>	89.57%	723	97.2%	97.9%	1 240.22	0
JP_5_19_ITS	AY605308	<i>Acer ibericum</i>	89.57%	723	97.2%	97.9%	1 240.22	0
JP_5_20_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	99.6%	99.8%	1 325.17	0
JP_5_20_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	99.6%	99.8%	1 319.63	0
JP_5_20_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	99.4%	99.7%	1 319.63	0
JP_5_20_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	99.4%	99.7%	1 319.63	0
JP_5_20_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	99.4%	99.7%	1 319.63	0
JP_5_20_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	99.2%	99.4%	1 306.7	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_5_20_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	99.4%	99.7%	1 304.85	0
JP_5_20_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	98.9%	99.1%	1 299.31	0
JP_5_20_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	98.5%	98.7%	1 277.16	0
JP_5_20_ITS	AY605307	<i>Acer ibericum</i>	89.59%	720	98.3%	98.6%	1 271.62	0
JP_6_1_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	99.2%	99.6%	1 308.55	0
JP_6_1_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	99.00%	99.4%	1 303.01	0
JP_6_1_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	98.9%	99.3%	1 297.47	0
JP_6_1_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	98.1%	98.5%	1 266.08	0
JP_6_1_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	97.9%	98.3%	1 262.38	0
JP_6_1_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	97.9%	98.3%	1 260.54	0
JP_6_1_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	98.1%	98.5%	1 260.54	0
JP_6_1_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	97.9%	98.3%	1 260.54	0
JP_6_1_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	97.9%	98.3%	1 260.54	0
JP_6_1_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	97.9%	98.3%	1 260.54	0
JP_6_2_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	98.2%	99.1%	1 282.7	0
JP_6_2_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	98.2%	99.00%	1 280.85	0
JP_6_2_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	97.9%	98.8%	1 271.62	0
JP_6_2_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	97.2%	98.00%	1 242.07	0
JP_6_2_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	97.1%	97.9%	1 236.53	0
JP_6_2_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	97.2%	98.00%	1 236.53	0
JP_6_2_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	97.1%	97.9%	1 236.53	0
JP_6_2_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	97.1%	97.9%	1 236.53	0
JP_6_2_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	97.1%	97.9%	1 236.53	0
JP_6_2_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	97.00%	97.8%	1 234.68	0
JP_6_3_ITS	AM238350	<i>Acer sempervirens</i>	89.59%	723	94.7%	97.2%	1 190.36	0
JP_6_3_ITS	AM238351	<i>Acer sempervirens</i>	89.59%	722	94.7%	97.1%	1 186.67	0
JP_6_3_ITS	AM238346	<i>Acer sempervirens</i>	89.22%	720	94.7%	97.2%	1 184.82	0
JP_6_3_ITS	AY605313	<i>Acer ibericum</i>	89.59%	723	94.6%	97.00%	1 184.82	0
JP_6_3_ITS	AY605311	<i>Acer ibericum</i>	89.59%	723	94.6%	97.00%	1 184.82	0
JP_6_3_ITS	AY605308	<i>Acer ibericum</i>	89.59%	723	94.6%	97.00%	1 184.82	0
JP_6_3_ITS	AY605314	<i>Acer ibericum</i>	89.59%	725	94.3%	96.8%	1 175.59	0
JP_6_3_ITS	AM238345	<i>Acer sempervirens</i>	88.6%	715	94.5%	97.00%	1 170.05	0
JP_6_3_ITS	AY605309	<i>Acer ibericum</i>	89.59%	720	94.3%	96.5%	1 162.66	0
JP_6_3_ITS	AY605312	<i>Acer ibericum</i>	89.59%	720	94.1%	96.2%	1 151.58	0
JP_6_4_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	98.3%	99.2%	1 286.39	0
JP_6_4_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	98.3%	99.1%	1 284.54	0
JP_6_4_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	98.1%	98.9%	1 275.31	0
JP_6_4_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	97.2%	98.1%	1 243.92	0
JP_6_4_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	97.1%	97.9%	1 240.22	0
JP_6_4_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	97.1%	97.9%	1 238.38	0
JP_6_4_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	97.2%	98.1%	1 238.38	0

<https://doi.org/10.17221/36/2021-JFS>

Table S2 to be continued

Query	Sequence Name	Organism	Query coverage	Length (bp)	% Identical sites	% Pairwise identity	Bit-Score	E Value
JP_6_4_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	97.1%	97.9%	1 238.38	0
JP_6_4_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	97.1%	97.9%	1 238.38	0
JP_6_4_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	97.1%	97.9%	1 238.38	0
JP_6_5_ITS	AY605309	<i>Acer ibericum</i>	89.55%	720	98.3%	99.2%	1 286.39	0
JP_6_5_ITS	AY605307	<i>Acer ibericum</i>	89.55%	720	98.3%	99.1%	1 284.54	0
JP_6_5_ITS	AY605312	<i>Acer ibericum</i>	89.55%	720	98.1%	98.9%	1 275.31	0
JP_6_5_ITS	AM238350	<i>Acer sempervirens</i>	89.55%	723	97.4%	98.1%	1 247.61	0
JP_6_5_ITS	AM238351	<i>Acer sempervirens</i>	89.55%	722	97.2%	98.00%	1 242.07	0
JP_6_5_ITS	AM238346	<i>Acer sempervirens</i>	89.18%	720	97.4%	98.1%	1 242.07	0
JP_6_5_ITS	AY605313	<i>Acer ibericum</i>	89.55%	723	97.2%	98.00%	1 242.07	0
JP_6_5_ITS	AY605311	<i>Acer ibericum</i>	89.55%	723	97.2%	98.00%	1 242.07	0
JP_6_5_ITS	AY605308	<i>Acer ibericum</i>	89.55%	723	97.2%	98.00%	1 242.07	0
JP_6_5_ITS	AY605314	<i>Acer ibericum</i>	89.55%	725	97.1%	97.9%	1 240.22	0